


bearings are magnetic distances in metres Elevation in ft AMSL Coordinates WGS84		AFIS CH 119.105	AD ELEV 522	CROTONE	
			APRON ELEV N 523		
			APRON ELEV S 518		


RWY	QFU	THR	bearing strength
17	166°	N 39°00'16.55" E 17°04'41.91"	PCN 53/F/B/W/T
35	346°	N 38°59'18.19" E 17°04'56.63"	




VAR 3° E-2010.0
Annual rate of change 4' E

CHANGE: Strip width - PCN values

TWY IDENT	WIDTH	bearing strength
A	23	PCN 53/F/B/W/T
B		PCN 53/F/A/W/T



REMARKS:
White flashing CGL RWY 17
and RWY 35 AVBL.



Bearings are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS 84	AFIS CH 119.105	AD ELEV 522	CROTONE	
		APRON N ELEV 523		
		APRON S ELEV 518	LIBC	38°59'48" N


APRON N			APRON S		
lighting	bearing	strength	lighting	bearing	strength
Edge: Blue	Stands: 4-7 Surface: CONC Strength: PCN 60/R/A/X/T		Edge: Blue	Stands: 1-3 Surface: CONC/ASPH Strength: PCN 53/R/B/X/T	
POINTS			POINTS		
STANDS	N	E	STANDS	N	E
4	38°59'47.30"	017°04'37.40"	1	38°59'40.98"	017°04'40.20"
5	38°59'49.50"	017°04'36.90"	2	38°59'42.70"	017°04'39.75"
6	38°59'51.65"	017°04'36.00"	3	38°59'44.41"	017°04'39.30"
7	38°59'53.75"	017°04'35.50"			

Apron N and S stands are marshalling assisted

VAR 3° E - 2010.0

Annual rate of change 4'E

CHANGE: Stands' coordinates and PCN values updated



*

LIGHT POLES COORDINATES (WGS 84)		
	N	E
NEAR AIR TERMINAL - HGT 18M AGL		
1	38°59'40.38"	017°04'39.29"
2	38°59'43.21"	017°04'38.59"
WEST EDGE OF APRON - HGT 22M AGL		
1	38°59'46.89"	017°04'36.37"
2	38°59'49.11"	017°04'35.83"
3	38°59'51.35"	017°04'35.26"
4	38°59'53.58"	017°04'34.68"

