


RWY	QFU	THR	bearing strength	Bearings are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS84	AFIS 119.950 CH 119.955
09	084°	N 45°44'16.61" E 007°21'28.70"	PCN 46/F/A/X/T		
27	264°	N 45°44'20.99" E 007°22'37.75"			

AD ELEV 1796	AOSTA	
APRON ELEV 1785		
L I M W	45°44'18" N	007°22'03" E





VAR +1° E -2005.0  
Annual rate of change 5' E

REMARKS

- (1) PAPI REMARKS:  
PAPI RWYs 09/27: PROTECTION 5 KM  
PAPI RWY 27: OFF SET 3.6'
- (2) FOR 400 M ALONG THE SOUTH SIDE STRIP DIMENSION IN WIDTH IS REDUCED TO 147 M
- (3) ON THE SOUTH-WEST SIDE OF RESA, TRIANGULAR PORTION OF DIMENSIONS 25x8 M IS NOT AVAILABLE

CHANGE: Box FREQ updated

TWY IDENT	WIDTH	bearing strength
A	15	PCN 43/F/A/X/T
C	20	PCN 47/F/A/X/T
D	15	PCN 45/F/A/X/T
E	15	PCN 43/F/A/X/T
F	15	PCN 36/F/A/X/T
G	15	PCN 35/F/A/X/T
H	15	PCN 41/F/A/X/T



Bearings are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS84	AFIS 119.950 CH 119.955	AD ELEV 1796	AOSTA	
			L I M W	45°44'18" N 007°22'03" E

HELICOPTER LANDING AREA	
Bearing	09-27
Coordinates	N 45°44'20" E 007°22'04"
Elevation	1780
Bearing strength	10 tons

VAR 1° E-2005.0  
Annual rate of change 5' E

CHANGE: Box FREQ updated

