

TRENTO/Mattarello

TRANSITION ALT 10000


STAR

CAT H


FREQUENCIES

| | |
|----------------------------|---------|
| AFIS Trento Aerodrome Info | 119.650 |
| Padova FIC | 124.150 |
| ACS Padova Radar | 120.725 |
| | 125.900 |

TNT VOR/DME
HOLDING PROCEDURE



BAMOV HOLDING PROCEDURE



IAS MAX
130 KT



Procedure outside controlled airspace and interfering with Bolzano instrument flight procedures: for more details see AD 2 LIDT table 22 and AD 2 LIPB 4-1,5-3,5-5,6-1,6-5

VOR/DME
Trento
TNT 115.35
Ch 100Y
46°01'13"N
011°08'24"E
312m




(1) VIC VOR REQUIRED

VIC 3K (1)



CHANGE: VIC NDB DISMISSED - VIC 3K MODIFIED



STAR (CAT H)

General remark
Procedures outside controlled airspace.

OZE 1K

Proceed via OZE VOR – TR 258° (RDL 258 OZE VOR), crossing RDL 352 TNT VOR, turn left to intercept and follow RDL 347 TNT VOR bound to BAMOV.

MEA: 10000 FT

VIC 3K

Proceed via VIC VOR TR 314° (RDL 314 VIC VOR) bound to TNT VOR/DME.

MEA: 10000 FT

Intenzionalmente bianca

Intentionally left blank